Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Adair	900				+			0.0
	236	87.3	0.4	10.2	0.0	1.3	0.8	
Adams	106	89.6	0.9	8.5	0.0	0.9	0.0	0.0
Allamakee	553	60.2	0.2	39.2	0.0	0.0	0.4	0.0
Appanoose	362	91.4	2.2	4.1	0.0	0.3	1.9	0.0
Audubon	95	*	*	*	*	*	*	*
Benton	305	87.5	0.7	7.5	0.0	0.0	3.9	0.3
Blackhawk	4,316	55.0	20.6	14.3	0.0	1.1	8.8	0.2
Boone	403	83.9	1.2	5.2	0.0	0.7	2.7	6.2
Bremer	257	89.9	1.6	5.8	0.4	0.0	2.3	0.0
Buchanan	372	86.0	0.3	9.9	0.0	0.0	3.8	0.0
Buena Vist	848	25.8	6.8	62.7	0.0	2.4	0.9	1.3
Butler	127	92.1	0.8	4.7	0.0	0.0	2.4	0.0
Calhoun	141	87.9	0.0	5.0	0.0	0.0	3.5	3.5
Carroll	389	84.6	0.3	8.0	0.0	0.3	2.6	4.4
Cass	377	86.7	0.0	9.0	0.0	2.7	1.6	0.0
Cedar	200	92.5	1.5	3.0	0.0	0.0	3.0	0.0
Cerro Gord	1,314	77.5	4.1	13.9	0.2	0.5	3.8	0.0
Cherokee	321	85.0	0.9	12.5	0.0	0.0	1.2	0.3
Chickasaw	190	73.7	0.0	24.7	0.0	0.0	1.6	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Clarke	340	64.7	0.9	32.6	0.0	0.3	1.5	0.0
Clay	529	75.8	1.5	17.6	0.0	0.0	0.8	4.3
Clayton	309	92.9	0.6	6.1	0.0	0.0	0.3	0.0
Clinton	1,192	74.4	6.3	11.5	0.0	0.1	7.7	0.0
Crawford	822	28.5	2.2	68.4	0.2	0.4	0.4	0.0
Dallas	941	48.6	1.4	44.6	0.0	0.4	3.0	2.0
Davis	105	95.2	0.0	4.8	0.0	0.0	0.0	0.0
Decatur	313	86.3	0.6	9.6	0.6	0.6	2.2	0.0
Delaware	219	92.2	0.0	5.5	0.0	1.4	0.9	0.0
Des Moines	1,293	71.8	10.3	7.5	0.0	0.2	10.2	0.0
Dickinson	193	86.5	1.6	7.3	0.0	0.5	0.5	3.6
Dubuque	2,217	73.3	12.9	8.1	0.0	2.0	3.7	0.0
Emmet	306	63.4	1.0	33.3	0.0	0.0	0.3	2.0
Fayette	398	90.5	1.3	6.3	0.0	0.3	1.8	0.0
Floyd	360	73.9	7.8	14.7	0.0	1.1	2.5	0.0
Franklin	341	36.7	0.3	61.6	0.0	0.3	1.2	0.0
Fremont	154	79.2	0.0	16.2	0.0	0.0	4.5	0.0
Greene	235	85.5	0.0	10.2	0.0	0.4	2.1	1.7
Grundy	77	*	*	*	*	*	*	*

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Guthrie	137	86.1	0.0	11.7	0.0	0.0	1.5	0.7
Hamilton	378	66.1	0.8	20.1	0.0	8.5	1.6	2.9
Hancock	177	80.2	0.6	16.4	0.0	1.1	1.7	0.0
Hardin	395	71.4	0.5	19.7	0.0	0.3	3.8	4.3
Harrison	241	88.0	0.0	11.6	0.0	0.0	0.4	0.0
Henry	445	71.0	3.4	15.7	0.0	2.2	7.4	0.2
Howard	203	88.7	0.5	10.8	0.0	0.0	0.0	0.0
Humboldt	271	69.4	0.4	25.1	0.4	0.0	3.3	1.5
Ida	198	91.9	0.0	7.1	0.0	0.0	1.0	0.0
Iowa	223	71.3	0.9	24.2	0.0	0.4	2.2	0.9
Jackson	377	87.5	2.4	6.1	0.0	0.8	3.2	0.0
Jasper	724	89.6	0.4	5.8	0.0	0.3	2.5	1.4
Jefferson	323	87.0	1.9	6.2	0.6	0.6	3.1	0.6
Johnson	2,236	44.2	22.7	23.2	0.0	4.2	5.5	0.1
Jones	304	87.2	0.3	9.2	0.0	0.0	2.6	0.7
Keokuk	133	94.7	1.5	3.0	0.0	0.0	0.8	0.0
Kossuth	268	84.0	0.4	13.4	0.0	0.4	1.9	0.0
Lee	930	84.5	3.3	4.9	0.0	0.1	7.0	0.1
Linn	4,731	59.2	12.7	12.0	0.2	0.8	11.3	3.8

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Louisa	349	41.3	1.1	57.6	0.0	0.0	0.0	0.0
Lucas	332	86.4	0.3	3.0	0.0	0.0	3.3	6.9
Lyon	191	93.2	0.0	4.7	0.0	0.5	1.6	0.0
Madison	273	90.1	1.5	6.6	0.0	0.0	1.8	0.0
Mahaska	643	86.9	1.7	7.0	0.0	0.2	2.5	1.7
Marion	741	81.6	1.5	5.9	0.0	1.1	3.0	6.9
Marshall	2,000	38.3	2.1	54.8	0.6	0.3	2.2	1.8
Mills	234	90.6	0.0	7.7	0.0	0.0	1.3	0.4
Mitchell	119	87.4	0.8	10.1	0.0	0.0	1.7	0.0
Monona	278	86.3	0.7	9.0	1.1	0.7	2.2	0.0
Monroe	216	86.1	0.0	6.0	0.0	0.0	1.4	6.5
Montgomery	346	80.1	0.0	18.2	0.3	0.0	1.4	0.0
Muscatine	1,561	50.3	2.0	46.6	0.0	0.0	1.1	0.0
O Brien	300	70.3	1.0	26.7	0.0	1.3	0.0	0.7
Osceola	110	63.6	0.9	33.6	0.0	0.0	0.0	1.8
Page	456	83.3	0.0	11.4	0.0	0.2	5.0	0.0
Palo Alto	193	85.0	1.0	7.3	0.5	0.5	2.1	3.6
Plymouth	381	84.3	0.8	12.1	0.3	0.0	2.6	0.0
Pocahontas	142	85.2	0.0	10.6	0.0	0.7	0.0	3.5

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

	Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %	
Polk	9,878	39.5	15.3	35.5	0.1	2.6	6.6	0.3	
Pottawatta	3,065	69.3	2.5	24.8	0.1	0.4	2.8	0.0	
Poweshiek	391	83.4	1.0	11.0	0.5	0.0	2.6	1.5	
Ringgold	116	87.9	0.0	8.6	0.0	0.9	2.6	0.0	
Sac	163	83.4	0.6	10.4	0.0	0.0	3.1	2.5	
Scott	4,796	55.6	22.2	13.8	0.0	2.1	6.1	0.0	
Shelby	254	83.9	0.4	15.4	0.0	0.0	0.0	0.4	
Sioux	950	54.7	0.5	44.1	0.0	0.0	0.5	0.1	
Story	1,580	59.6	10.5	12.3	0.3	7.1	4.4	5.9	
Tama	451	45.2	0.2	35.3	12.9	0.0	4.2	2.2	
Taylor	172	68.0	0.6	31.4	0.0	0.0	0.0	0.0	
Union	469	88.1	2.3	7.2	0.0	1.1	1.3	0.0	
Van Buren	119	95.0	0.8	2.5	0.0	0.0	0.8	0.8	
Wapello	1,799	67.6	0.7	29.8	0.0	0.2	1.3	0.3	
Warren	810	79.1	1.7	10.4	0.1	0.2	2.8	5.6	
Washington	341	62.2	2.6	32.3	0.0	0.3	2.6	0.0	
Wayne	176	92.0	0.6	3.4	0.0	0.6	0.6	2.8	
Webster	1,338	67.5	5.8	17.3	0.1	0.4	8.1	0.7	
Winnebago	216	80.1	0.9	15.7	0.0	0.9	2.3	0.0	

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Winneshiek	312	84.6	0.3	12.2	0.0	0.3	2.6	0.0
Woodbury	4,244	44.2	4.1	39.8	3.1	2.8	5.9	0.1
Worth	54	*	*	*	*	*	*	*
Wright	473	51.4	0.0	46.5	0.0	0.0	1.9	0.2
Unknown Counties	2	*	*	*	*	*	*	*
Iowa	74,984	61.7	8.1	22.8	0.3	1.3	4.7	1.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9



Page:

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Com	parison of Age Dis	tribution		
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months	
	(3,4)	%	%	%	
Adair	236	39.0	16.9	44.1	
Adams	106	34.0	21.7	44.3	
Allamakee	553	36.9	18.8	44.3	
Appanoose	362	37.6	19.3	43.1	
Audubon	95	*	*	*	
Benton	305	36.7	20.7	42.6	
Blackhawk	4,316	38.5	20.0	41.5	
Boone	403	33.3	23.3	43.4	
Bremer	257	34.6	25.7	39.7	
Buchanan	372	35.5	21.5	43.0	
Buena Vist	848	33.1	20.4	46.5	
Butler	127	35.4	21.3	43.3	
Calhoun	141	35.5	17.7	46.8	
Carroll	389	43.2	16.5	40.4	
Cass	377	40.6	19.6	39.8	
Cedar	200	38.5	20.0	41.5	
Cerro Gord	1,314	36.8	20.7	42.5	
Cherokee	321	34.6	20.2	45.2	

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Comparison of Age Distribution							
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months				
	(3,4)	%	%	%				
Chickasaw	190	32.6	21.6	45.8				
Clarke	340	41.5	16.2	42.4				
Clay	529	35.2	21.9	42.9				
Clayton	309	37.9	21.7	40.5				
Clinton	1,192	42.6	19.5	37.9				
Crawford	822	36.5	19.7	43.8				
Dallas	941	40.6	15.3	44.1				
Davis	105	38.1	21.0	41.0				
Decatur	313	36.1	16.3	47.6				
Delaware	219	41.1	21.0	37.9				
Des Moines	1,293	41.8	19.6	38.7				
Dickinson	193	37.8	19.2	43.0				
Dubuque	2,217	37.9	18.5	43.6				
Emmet	306	36.9	19.9	43.1				
Fayette	398	36.7	21.9	41.5				
Floyd	360	33.3	21.7	45.0				
Franklin	341	34.0	16.4	49.6				
Fremont	154	35.7	26.6	37.7				

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Con	nparison of Age Dis	tribution		
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months	
	(3,4)	%	%	%	
Greene	235	32.8	19.1	48.1	
Grundy	77	*	*	*	
Guthrie	137	33.6	22.6	43.8	
Hamilton	378	39.9	19.8	40.2	
Hancock	177	35.6	20.9	43.5	
Hardin	395	31.9	25.8	42.3	
Harrison	241	41.1	18.7	40.2	
Henry	445	38.7	18.0	43.4	
Howard	203	42.9	17.2	39.9	
Humboldt	271	34.7	17.7	47.6	
Ida	198	33.3	20.2	46.5	
lowa	223	30.9	21.5	47.5	
Jackson	377	40.8	15.9	43.2	
Jasper	724	34.5	20.4	45.0	
Jefferson	323	33.4	22.9	43.7	
Johnson	2,236	36.5	20.0	43.5	
Jones	304	37.5	19.4	43.1	
Keokuk	133	33.1	23.3	43.6	

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Cor	nparison of Age Dis	tribution		
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months	
	(3,4)	%	%	%	
Kossuth	268	36.9	17.9	45.1	
Lee	930	41.7	18.4	39.9	
Linn	4,731	37.8	19.3	42.9	
Louisa	349	37.0	20.9	42.1	
Lucas	332	34.6	22.3	43.1	
Lyon	191	35.1	15.7	49.2	
Madison	273	38.8	20.1	41.0	
Mahaska	643	36.4	19.9	43.7	
Marion	741	34.4	19.2	46.4	
Marshall	2,000	35.0	20.2	44.8	
Mills	234	36.8	22.6	40.6	
Mitchell	119	36.1	20.2	43.7	
Monona	278	36.0	18.3	45.7	
Monroe	216	36.6	20.4	43.1	
Montgomery	346	37.6	19.1	43.4	
Muscatine	1,561	36.6	19.9	43.5	
O Brien	300	36.3	23.7	40.0	
Osceola	110	32.7	19.1	48.2	

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

10

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Comparison of Age Distribution							
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %				
Page	456	36.4	18.6	45.0				
Palo Alto	193	38.3	20.7	40.9				
Plymouth	381	38.6	21.3	40.2				
Pocahontas	142	35.2	25.4	39.4				
Polk	9,878	41.9	19.5	38.6				
Pottawatta	3,065	35.5	19.9	44.6				
Poweshiek	391	36.3	16.1	47.6				
Ringgold	116	38.8	17.2	44.0				
Sac	163	42.3	20.2	37.4				
Scott	4,796	41.3	17.6	41.1				
Shelby	254	33.9	19.3	46.9				
Sioux	950	32.1	20.3	47.6				
Story	1,580	37.7	23.0	39.3				
Tama	451	33.0	21.5	45.5				
Taylor	172	34.3	19.8	45.9				
Union	469	37.5	18.3	44.1				
Van Buren	119	33.6	22.7	43.7				
Wapello	1,799	36.4	22.0	41.6				

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

11

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Cor	mparison of Age Dist	ribution	
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Warren	810	36.9	20.7	42.3
Washington	341	31.1	21.4	47.5
Wayne	176	40.3	14.2	45.5
Webster	1,338	37.9	21.2	41.0
Winnebago	216	37.5	19.9	42.6
Winneshiek	312	41.0	20.2	38.8
Woodbury	4,244	38.3	19.8	41.9
Worth	54	*	*	*
Wright	473	40.6	18.8	40.6
Unknown Counties	2	*	*	*
Iowa	74,984	38.1	19.7	42.2
Nation (Prior Year)	7,599,318	37.6	21.8	40.6



Page:

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 13 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A	nemia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% □ <u>></u> 95th (Rank)	Number	% (Rank)
Adair	55	* *	* *	232	4.7 (27)	4.3 (80)	17.2 (81)	100	11.0 (5)	19.0 (59)	173	17.3 (87)
Adams	17	* *	* *	103	2.9 (6)	5.8 (91)	13.6 (44)	46	* *	* *	79	* *
Allamakee	132	12.9 (30)	12.9 (30)	549	6.7 (72)	3.1 (48)	15.1 (66)	248	15.7 (20)	15.7 (33)	378	6.3 (41)
Appanoose	88	* *	* *	355	8.5 (92)	5.9 (92)	14.1 (55)	156	11.5 (6)	17.9 (54)	188	4.3 (21)
Audubon	26	* *	* *	94	* *	* *	* *	39	* *	* *	66	* *
Benton	63	* *	* *	300	5.0 (33)	2.7 (34)	15.3 (67)	127	17.3 (28)	16.5 (44)	119	4.2 (18)
Blackhawk	1,079	7.9 (18)	7.1 (9)	4,215	5.7 (49)	4.1 (76)	12.5 (28)	1,769	16.6 (26)	14.6 (27)	2,133	6.2 (39)
Boone	83	* *	* *	394	6.9 (75)	2.3 (23)	13.2 (39)	173	22.0 (60)	16.2 (41)	116	9.5 (63)
Bremer	58	* *	* *	247	4.0 (13)	2.8 (36)	12.1 (23)	98	* *	* *	149	6.0 (36)
Buchanan	93	* *	* *	367	4.6 (26)	3.0 (44)	14.2 (56)	158	19.6 (52)	13.9 (23)	193	4.7 (25)
Buena Vist	203	8.4 (21)	5.9 (3)	817	5.1 (38)	3.1 (48)	14.3 (57)	381	19.4 (50)	17.6 (52)	589	5.9 (35)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 14 Run Date: 9 / 14 / 10

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Butler	33	* *	* *	121	5.8 (52)	4.1 (76)	19.0 (90)	51	* *	* *	85	* *
Calhoun	31	* *	* *	139	5.0 (33)	0.7 (2)	10.1 (8)	65	* *	* *	107	0.9 (5)
Carroll	89	* *	* *	381	3.7 (9)	2.1 (19)	8.9 (2)	154	23.4 (62)	12.3 (10)	274	1.5 (6)
Cass	97	* *	* *	368	6.3 (64)	1.1 (5)	19.8 (93)	148	14.9 (16)	18.9 (58)	265	6.4 (42)
Cedar	52	* *	* *	199	5.0 (33)	2.5 (26)	11.6 (18)	80	* *	* *	138	2.2 (9)
Cerro Gord	333	7.5 (13)	9.9 (23)	1,296	6.1 (59)	4.6 (87)	12.9 (34)	560	18.8 (45)	16.8 (47)	829	6.0 (36)
Cherokee	74	* *	* *	321	5.3 (42)	2.8 (36)	14.0 (52)	145	23.4 (62)	13.8 (22)	227	4.4 (22)
Chickasaw	38	* *	* *	187	5.9 (53)	3.2 (53)	11.2 (15)	84	* *	* *	121	5.0 (29)
Clarke	92	* *	* *	334	7.5 (83)	4.8 (90)	13.5 (42)	139	10.8 (4)	12.9 (16)	225	8.9 (54)
Clay	117	6.8 (8)	11.1 (29)	507	5.3 (42)	3.6 (64)	15.0 (63)	220	15.5 (18)	17.3 (51)	363	4.7 (25)
Clayton	64	* *	* *	306	7.8 (86)	1.6 (10)	17.0 (80)	126	19.8 (54)	14.3 (26)	202	7.4 (47)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 15 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% - ≥95th (Rank)	Number	% (Rank)
Clinton	314	5.7 (5)	5.1 (1)	1,167	6.5 (70)	1.3 (7)	16.4 (77)	442	17.9 (32)	16.3 (42)	746	4.6 (24)
Crawford	186	4.3 (3)	7.0 (7)	800	2.5 (4)	1.8 (15)	17.8 (85)	352	17.9 (32)	22.4 (67)	605	8.1 (51)
Dallas	235	5.1 (4)	8.9 (19)	913	4.5 (24)	2.6 (32)	13.7 (46)	394	22.6 (61)	15.7 (33)	644	1.6 (7)
Davis	25	* *	* *	105	6.7 (72)	3.8 (68)	14.3 (57)	42	* *	* *	40	* *
Decatur	72	* *	* *	307	5.9 (53)	4.2 (78)	14.0 (52)	143	18.2 (37)	11.2 (5)	229	12.2 (78)
Delaware	52	* *	* *	214	5.1 (38)	4.2 (78)	9.8 (6)	84	* *	* *	151	11.9 (77)
Des Moines	340	7.9 (18)	8.5 (17)	1,276	6.2 (61)	2.5 (26)	10.4 (9)	498	18.1 (35)	11.4 (6)	776	9.1 (57)
Dickinson	47	* *	* *	188	5.9 (53)	4.3 (80)	13.3 (40)	82	* *	* *	122	4.9 (28)
Dubuque	554	8.5 (22)	7.9 (14)	2,164	4.4 (21)	3.1 (48)	11.5 (17)	959	18.1 (35)	12.9 (16)	1,560	10.6 (67)
Emmet	68	* *	* *	293	5.1 (38)	3.4 (58)	13.0 (36)	128	15.6 (19)	14.1 (24)	205	8.8 (52)
Fayette	89	* *	* *	393	6.1 (59)	4.3 (80)	12.2 (24)	171	23.4 (62)	12.9 (16)	277	10.5 (66)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 16 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight			A	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% □ <u>></u> 95th (Rank)	Number	% (Rank)
Floyd	90	* *	* *	353	5.9 (53)	4.0 (73)	15.0 (63)	157	15.9 (21)	15.9 (39)	244	7.0 (45)
Franklin	93	* *	* *	332	4.2 (14)	3.9 (71)	15.4 (68)	162	24.1 (65)	16.7 (46)	228	4.8 (27)
Fremont	35	* *	* *	153	7.2 (80)	5.9 (92)	16.3 (76)	62	* *	* *	110	15.5 (85)
Greene	45	* *	* *	233	4.3 (19)	2.1 (19)	14.6 (60)	112	20.5 (57)	20.5 (63)	174	0.6 (3)
Grundy	17	* *	* *	75	* *	* *	* *	33	* *	* *	28	* *
Guthrie	32	* *	* *	135	0.7 (1)	5.9 (92)	9.6 (5)	60	* *	* *	101	0.0 (1)
Hamilton	90	* *	* *	365	7.9 (87)	3.6 (64)	12.6 (29)	152	19.1 (47)	12.5 (13)	257	9.3 (61)
Hancock	42	* *	* *	174	3.4 (7)	4.6 (87)	20.7 (95)	76	* *	* *	117	3.4 (14)
Hardin	82	* *	* *	373	6.2 (61)	3.2 (53)	13.7 (46)	160	13.8 (9)	16.9 (49)	292	5.5 (34)
Harrison	67	* *	* *	231	4.8 (31)	1.7 (13)	10.8 (12)	92	* *	* *	161	12.4 (79)
Henry	118	7.6 (15)	10.2 (25)	441	5.7 (49)	2.9 (41)	12.0 (21)	189	15.9 (21)	11.6 (7)	262	8.8 (52)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 17 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			٨٠٠	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Howard	54	* *	* *	201	6.0 (57)	4.5 (86)	13.9 (51)	80	* *	* *	126	10.3 (65)
Humboldt	49	* *	* *	261	4.2 (14)	2.7 (34)	13.8 (50)	125	16.0 (24)	15.2 (31)	206	2.4 (10)
lda	36	* *	* *	192	6.3 (64)	1.6 (10)	9.9 (7)	86	* *	* *	146	0.7 (4)
lowa	40	* *	* *	209	9.1 (96)	3.8 (68)	18.7 (89)	101	7.9 (1)	18.8 (57)	159	10.7 (69)
Jackson	82	* *	* *	364	6.3 (64)	1.9 (17)	12.6 (29)	155	14.8 (15)	11.0 (4)	261	5.0 (29)
Jasper	155	11.0 (28)	5.2 (2)	707	7.1 (79)	4.0 (73)	13.7 (46)	319	14.1 (12)	14.7 (28)	570	3.5 (15)
Jefferson	84	* *	* *	323	5.0 (33)	4.0 (73)	12.4 (26)	146	14.4 (14)	12.3 (10)	154	9.1 (57)
Johnson	524	11.5 (29)	6.5 (5)	2,152	5.6 (46)	4.6 (87)	11.9 (20)	943	16.4 (25)	10.7 (3)	1,557	12.8 (81)
Jones	73	* *	* *	297	7.4 (82)	4.4 (85)	10.4 (9)	128	13.3 (8)	11.7 (8)	209	11.5 (75)
Keokuk	32	* *	* *	132	8.3 (89)	3.8 (68)	9.1 (3)	57	* *	* *	78	* *
Kossuth	74	* *	* *	257	6.2 (61)	3.9 (71)	16.7 (79)	117	9.4 (2)	17.1 (50)	171	4.1 (17)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 18 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			٨٠	nemia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% _>95th (Rank)	Number	% (Rank)
Lee	236	9.7 (26)	6.4 (4)	910	7.3 (81)	2.3 (23)	12.9 (34)	368	14.9 (16)	13.0 (20)	565	10.6 (67)
Linn	1,125	9.2 (25)	9.1 (20)	4,589	4.7 (27)	3.0 (44)	12.2 (24)	2,006	17.9 (32)	13.1 (21)	3,210	14.4 (84)
Louisa	90	* *	* *	335	4.2 (14)	3.3 (57)	15.5 (69)	141	24.1 (65)	18.4 (56)	233	9.0 (55)
Lucas	72	* *	* *	323	3.7 (9)	2.2 (21)	13.0 (36)	138	13.8 (9)	15.9 (39)	236	6.8 (43)
Lyon	42	* *	* *	187	4.3 (19)	3.2 (53)	13.4 (41)	92	* *	* *	133	3.0 (13)
Madison	66	* *	* *	267	8.6 (93)	3.7 (66)	13.1 (38)	109	20.2 (56)	11.9 (9)	192	9.4 (62)
Mahaska	148	8.8 (23)	9.5 (22)	625	7.5 (83)	1.1 (5)	16.0 (74)	267	18.4 (42)	17.6 (52)	473	8.0 (50)
Marion	148	13.5 (31)	10.8 (27)	718	8.4 (90)	2.2 (21)	12.0 (21)	341	18.2 (37)	10.0 (2)	524	11.1 (73)
Marshall	426	10.8 (27)	10.1 (24)	1,895	5.3 (42)	3.2 (53)	19.1 (91)	867	18.2 (37)	21.9 (66)	1,497	4.2 (18)
Mills	56	* *	* *	229	6.6 (71)	3.1 (48)	13.5 (42)	94	* *	* *	158	10.8 (70)
Mitchell	30	* *	* *	115	2.6 (5)	3.5 (60)	8.7 (1)	51	* *	* *	80	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 19 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% - ≥95th (Rank)	Number	% (Rank)
Monona	46	* *	* *	268	4.9 (32)	0.4 (1)	18.3 (88)	129	20.9 (58)	16.3 (42)	217	12.4 (79)
Monroe	44	* *	* *	208	6.3 (64)	2.9 (41)	20.2 (94)	92	* *	* *	158	10.8 (70)
Montgomery	76	* *	* *	338	3.8 (11)	0.9 (3)	18.0 (86)	155	20.0 (55)	20.6 (64)	251	9.2 (60)
Muscatine	381	6.8 (8)	7.1 (9)	1,516	6.4 (69)	2.5 (26)	16.0 (74)	661	18.5 (43)	20.1 (61)	1,004	11.8 (76)
O Brien	73	* *	* *	293	1.4 (2)	3.1 (48)	14.0 (52)	114	9.6 (3)	19.3 (60)	207	5.3 (33)
Osceola	21	* *	* *	102	3.9 (12)	1.0 (4)	12.7 (31)	50	* *	* *	74	* *
Page	116	6.0 (6)	7.8 (12)	451	4.4 (21)	3.5 (60)	15.7 (72)	202	19.3 (49)	15.8 (37)	323	9.0 (55)
Palo Alto	49	* *	* *	189	6.9 (75)	3.7 (66)	9.5 (4)	79	* *	* *	129	6.2 (39)
Plymouth	96	* *	* *	374	4.5 (24)	1.6 (10)	15.0 (63)	146	17.8 (31)	15.8 (37)	250	4.4 (22)
Pocahontas	31	* *	* *	134	5.2 (41)	3.0 (44)	21.6 (96)	53	* *	* *	98	* *
Polk	2,803	7.4 (12)	8.2 (16)	9,668	6.0 (57)	2.8 (36)	14.4 (59)	3,747	15.9 (21)	14.1 (24)	6,382	13.3 (83)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 20 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A	nemia
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		> 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Pottawatta	689	9.0 (24)	6.8 (6)	2,997	5.0 (33)	2.6 (32)	13.7 (46)	1,342	19.6 (52)	15.7 (33)	2,262	6.9 (44)
Poweshiek	96	* *	* *	379	4.2 (14)	2.9 (41)	16.4 (77)	181	21.0 (59)	18.2 (55)	307	4.2 (18)
Ringgold	27	* *	* *	114	8.8 (94)	3.5 (60)	14.9 (62)	53	* *	* *	82	* *
Sac	35	* *	* *	159	4.4 (21)	2.5 (26)	10.7 (11)	59	* *	* *	116	0.0 (1)
Scott	1,176	7.9 (18)	8.1 (15)	4,719	5.6 (46)	2.5 (26)	12.4 (26)	1,944	18.3 (41)	12.9 (16)	3,524	13.2 (82)
Shelby	54	* *	* *	247	7.7 (85)	2.8 (36)	15.8 (73)	119	14.3 (13)	20.2 (62)	181	2.8 (12)
Sioux	208	6.3 (7)	9.1 (20)	941	4.7 (27)	1.9 (17)	15.5 (69)	452	17.7 (30)	15.7 (33)	703	4.0 (16)
Story	402	7.5 (13)	10.2 (25)	1,520	5.3 (42)	4.3 (80)	11.1 (14)	609	14.0 (11)	9.7 (1)	630	7.8 (49)
Tama	99	* *	* *	431	4.2 (14)	3.5 (60)	17.4 (82)	200	18.5 (43)	16.5 (44)	337	5.0 (29)
Taylor	34	* *	* *	171	3.5 (8)	1.8 (15)	11.7 (19)	79	* *	* *	129	7.0 (45)
Union	111	3.6 (2)	10.8 (27)	463	8.4 (90)	6.0 (95)	15.6 (71)	204	19.1 (47)	14.7 (28)	331	10.0 (64)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 21 Run Date: 9 / 14 / 10

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Van Buren	30	* *	* *	118	1.7 (3)	6.8 (96)	11.0 (13)	52	* *	* *	71	* *
Wapello	443	7.7 (16)	7.0 (7)	1,758	6.3 (64)	3.4 (58)	17.7 (84)	738	19.5 (51)	21.3 (65)	753	6.1 (38)
Warren	182	7.7 (16)	14.3 (31)	784	8.0 (88)	1.5 (9)	14.8 (61)	336	18.8 (45)	12.5 (13)	568	7.7 (48)
Washington	67	* *	* *	333	5.7 (49)	3.0 (44)	11.4 (16)	156	16.7 (27)	12.8 (15)	262	15.6 (86)
Wayne	42	* *	* *	170	8.8 (94)	2.4 (25)	19.4 (92)	79	* *	* *	115	11.3 (74)
Webster	332	6.9 (10)	7.8 (12)	1,300	6.9 (75)	1.7 (13)	17.6 (83)	532	18.2 (37)	14.8 (30)	940	1.8 (8)
Winnebago	46	* *	* *	213	7.0 (78)	2.8 (36)	12.7 (31)	88	* *	* *	135	5.2 (32)
Winneshiek	74	* *	* *	305	5.6 (46)	4.3 (80)	12.8 (33)	121	13.2 (7)	12.4 (12)	203	10.8 (70)
Woodbury	1,015	7.3 (11)	7.1 (9)	4,160	4.7 (27)	2.5 (26)	13.6 (44)	1,738	17.3 (28)	15.2 (31)	2,984	9.1 (57)
Worth	8	* *	* *	54	* *	* *	* *	28	* *	* *	36	* *
Wright	114	1.8 (1)	8.8 (18)	455	6.8 (74)	1.3 (7)	18.0 (86)	185	24.3 (67)	16.8 (47)	328	2.4 (10)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 22 Run Date: 9 / 14 / 10

			Comparis	son of Gr	owth an	ıd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A.n.	omio
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)
Unknown Counties	0	* *	* *	1	* *	* *	* *	0	* *	* *	1	* *
lowa	18,272	8.1	8.1	73,138	5.6	3.0	13.9	31,071	17.5	14.9	49,377	8.9
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	2 16.4	14.8	4,521,591	14.0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

9 / 14 / 10

(2)

			Breastfe (eeding 6)				Exclusive	e Br	reastfeedir (7)	ng	≤2 Hou Viewin (8)		Smok Hous	
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months (Rank)	Number	Breastfed At Least 12 Months	Number	Breastfe At Least 3 Months	s	Number	% Breastfed At Least 6 Months (Rank)	Number	%	Number	%
Adair	55	(Rank) * *	40	* *	34	(Rank) * *	45	(Rank)		37	(Ralik)	109	(Rank) 85.3 (21)	223	(Rank) 41.3 (44)
Adams	17	* *	29	* *	27	* *	18	* *	*	26	* *	43	* *	99	* *
Allamakee	132	80.3 (1)	106	49.1 (1)	82	* *	96	* *	*	101	5.9 (3)	252	92.1 (6)	527	27.3 (13)
Appanoose	89	* *	74	* *	53	* *	60	* *	*	68	* *	141	92.1 (0)	340	46.8 (66)
Audubon	26	* *	20	* *	14	* *	21	* *	*	20	* *	37	* *	92	* *
Benton	64	* *	62	* *	44	* *	46	* *	*	60	* *	106	92.5 (4)	279	55.2 (91)
Blackhawk	1,093	59.3 (17)	869	17.3 (14)	680	9.1 (17)	726	10.2 (5	5)	843	3.8 (7)	1,454	84.3 (27)	3,866	41.6 (46)
Boone	91	* *	48	* *	64	* *	31	* *		44	* *	154	83.8 (28)	372	14.2 (3)
Bremer	58	* *	48	* *	45	* *	35	* *	*	45	* *	65	* *	235	41.7 (47)
Buchanan	93	* *	74	* *	56	* *	60	* *	*	74	* *	133	85.7 (18)	336	45.2 (59)
Buena Vist	211	74.4 (3)	165	36.4 (4)	125	17.6 (5)	97	* *	*	130	3.8 (7)	402	75.4 (64)	798	16.4 (6)
Butler	33	* *	24	* *	19	* *	21	* *	*	24	* *	58	* *	120	60.8 (94)
Calhoun	32	* *	22	* *	15	* *	31	* *		22	* *	67	* *	131	47.3 (68)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Run Date:

(2)

Page:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	ı, an	d Sm	oking i	n Housel	hold (4,	5)		
			Breastfe	eeding 6)				Exclu	usive B	reastfeedi (7)	ng	≤2 Hou Viewin (Smok Hous	
County	Number	Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le Mo	% astfed at ast ast anths ank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Carroll	96	* *	79	* *	51	* *	67	*	*	76	* *	151	86.1 (17)	341	51.0 (81)
Cass	98	* *	68	* *	63	* *	75	*	*	65	* *	152	86.2 (16)	356	53.7 (90)
Cedar	51	* *	42	* *	28	* *	47	*	*	40	* *	38	* *	183	32.2 (21)
Cerro Gord	334	54.8 (23)	235	14.9 (19)	226	9.7 (14)	142	7.0	(10)	191	3.1 (13)	551	85.7 (18)	1,241	44.2 (56)
Cherokee	74	* *	68	* *	48	* *	39	*	*	58	* *	144	81.3 (46)	306	52.3 (87)
Chickasaw	39	* *	39	* *	24	* *	33	*	*	38	* *	76	* *	173	45.1 (58)
Clarke	92	* *	62	* *	39	* *	58	*	*	53	* *	148	80.4 (48)	319	40.1 (40)
Clay	123	64.2 (14)	119	25.2 (8)	94	* *	72	*	*	100	2.0 (19)	226	81.4 (43)	496	35.9 (31)
Clayton	64	* *	71	* *	48	* *	53	*	*	62	* *	129	88.4 (11)	272	42.6 (50)
Clinton	312	54.2 (25)	268	14.2 (22)	203	9.9 (13)	259	6.9	(11)	251	3.2 (12)	169	83.4 (31)	1,069	38.4 (36)
Crawford	187	70.1 (7)	153	17.0 (18)	103	9.7 (14)	169	3.6	(20)	145	1.4 (24)	371	77.9 (58)	782	24.3 (12)
Dallas	240	71.3 (6)	202	35.1 (6)	122	13.9 (6)	184	7.6	(9)	188	5.9 (3)	389	83.5 (30)	850	30.0 (16)
Davis	25	* *	22	* *	18	* *	21	*	*	20	* *	37	* *	99	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

(2)

9 / 14 / 10

Page:

Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	, and	d Sm	oking i	n Housel	hold (4,5	5)		
			Breastfe	eeding 6)				Exclu	isive B	reastfeedi (7)	ng	≤2 Hou Viewin		Smok Hous	ing in ehold
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le () Mor	ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Decatur	72	* *	60	* *	36	* *	47	*	*	50	* *	148	83.1 (35)	298	48.3 (74)
Delaware	53	* *	45	* *	41	* *	34	*	*	38	* *	89	* *	193	22.3 (10)
Des Moines	337	57.3 (19)	252	14.7 (20)	182	4.4 (23)	241	4.1	(18)	224	1.8 (21)	499	84.8 (23)	1,158	43.7 (54)
Dickinson	49	* *	44	* *	31	* *	23	*	*	30	* *	83	* *	180	35.0 (27)
Dubuque	561	44.9 (32)	463	18.4 (11)	327	9.5 (16)	400	13.8	(3)	433	5.5 (5)	968	94.9 (2)	1,948	12.9 (1)
Emmet	71	* *	72	* *	47	* *	44	*	*	57	* *	132	78.8 (56)	290	20.7 (8)
Fayette	89	* *	91	* *	74	* *	68	*	*	83	* *	175	83.4 (31)	360	51.9 (86)
Floyd	90	* *	75	* *	60	* *	46	*	*	60	* *	147	84.4 (26)	341	49.3 (77)
Franklin	93	* *	46	* *	41	* *	41	*	*	41	* *	168	81.0 (47)	330	33.3 (24)
Fremont	35	* *	30	* *	23	* *	32	*	*	30	* *	62	* *	146	50.7 (80)
Greene	45	* *	43	* *	35	* *	34	*	*	41	* *	110	84.5 (25)	218	42.7 (51)
Grundy	17	* *	20	* *	7	* *	11	*	*	20	* *	30	* *	69	* *
Guthrie	33	* *	25	* *	22	* *	22	*	*	25	* *	63	* *	130	46.2 (62)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

			Breastfe ((eeding 6)				Exclusiv	/e Bı	reastfeedi (7)	ing	<2 Hou Viewin (Smok Hous	
County	Numbe	r % Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastf At Least 3 Month (Rank	t ıs	Number	Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Hamilton	97	* *	79	* *	67	* *	54	•	*	67	* *	157	77.1 (61)	357	35.6 (30)
Hancock	43	* *	32	* *	32	* *	16	*	*	25	* *	74	* *	169	40.2 (41)
Hardin	91	* *	62	* *	75	* *	46	*	*	55	* *	159	81.8 (40)	357	18.8 (7)
Harrison	68	* *	49	* *	37	* *	59	*	*	48	* *	96	* *	229	52.4 (88)
Henry	117	69.2 (9)	93	* *	66	* *	81	*	*	82	* *	197	86.8 (13)	397	41.8 (48)
Howard	54	* *	47	* *	29	* *	48	*	*	47	* *	83	* *	181	48.1 (71)
Humboldt	50	* *	48	* *	35	* *	35	*	*	40	* *	132	89.4 (8)	256	31.3 (20)
Ida	36	* *	43	* *	39	* *	28	*	*	33	* *	75	* *	186	60.2 (93)
lowa	44	* *	36	* *	33	* *	32	*	*	32	* *	78	* *	195	24.1 (11)
Jackson	82	* *	77	* *	51	* *	74	*	*	74	* *	60	* *	325	38.8 (37)
Jasper	161	46.6 (31)	105	10.5 (27)	92	* *	102	7.8 (7)	93	* *	325	83.1 (35)	687	40.0 (39)
Jefferson	84	* *	48	* *	47	* *	27	*	*	38	* *	143	96.5 (1)	308	37.0 (33)
Johnson	528	71.8 (5)	391	39.1 (3)	369	20.1 (2)	314	16.9 (1)	353	7.4 (2)	691	79.2 (54)	1,978	15.9 (5)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

			Breastfe	eeding 6)				Exclu	ısive B	reastfeed (7)	ling	≤2 Hou Viewin (Smok Hous	ing in ehold
County	Number	Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le Mo	% astfed At ast ast anths	Numbe	r % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jones	75	* *	57	* *	46	* *	44	*	*	46	* *	130	94.6 (3)	268	20.9 (9)
Keokuk	32	* *	32	* *	25	* *	21	*	*	27	* *	58	* *	129	48.8 (76)
Kossuth	74	* *	50	* *	34	* *	33	*	*	35	* *	120	77.5 (59)	255	40.4 (42)
Lee	236	55.1 (22)	165	10.9 (26)	142	4.2 (24)	164	5.5	(13)	145	0.0 (26)	370	88.9 (10)	844	47.5 (70)
Linn	1,204	59.0 (18)	917	17.1 (16)	744	7.8 (19)	638	7.7	(8)	761	4.2 (6)	897	86.7 (14)	4,156	42.2 (49)
Louisa	90	* *	48	* *	50	* *	46	*	*	46	* *	140	78.6 (57)	324	30.2 (18)
Lucas	77	* *	69	* *	61	* *	48	*	*	65	* *	139	79.9 (51)	313	48.2 (73)
Lyon	42	* *	44	* *	23	* *	35	*	*	37	* *	79	* *	175	40.6 (43)
Madison	67	* *	52	* *	39	* *	34	*	*	42	* *	114	81.6 (41)	256	50.4 (78)
Mahaska	155	47.1 (30)	121	18.2 (13)	111	12.6 (8)	97	*	*	107	3.7 (9)	279	81.4 (43)	602	51.3 (83)
Marion	160	65.0 (11)	151	11.9 (25)	113	11.5 (10)	105	2.9	(23)	141	0.7 (25)	339	81.4 (43)	696	46.7 (63)
Marshall	469	64.2 (14)	294	22.1 (10)	278	12.6 (8)	249	3.2	(22)	266	2.6 (17)	912	76.4 (63)	1,880	13.1 (2)
Mills	57	* *	48	* *	40	* *	50	*	*	44	* *	96	* *	208	48.6 (75)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

(2)

9 / 14 / 10

Page:

Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	ı, an	d Sm	oking i	in Housel	nold (4,	5)		
			Breastfe (eeding 6)				Excl	usive B	reastfeed (7)	ing	≤2 Hou Viewin (Smok Hous	ing in ehold
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le	% astfed At east 3 nths	Numbei	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(R	ank)		(Rank)		(Rank)		(Rank)
Mitchell	30	* *	22	* *	16	* *	16	*	*	17	* *	53	* *	113	51.3 (83)
Monona	48	* *	42	* *	32	* *	46	*	*	38	* *	132	85.6 (20)	262	52.7 (89)
Monroe	48	* *	45	* *	45	* *	27	*	*	42	* *	97	* *	205	51.2 (82)
Montgomery	77	* *	63	* *	40	* *	65	*	*	60	* *	158	77.2 (60)	327	57.5 (92)
Muscatine	382	69.9 (8)	273	39.2 (2)	244	23.4 (1)	232	3.9	(19)	256	2.7 (16)	668	82.8 (37)	1,441	36.9 (32)
O Brien	74	* *	71	* *	60	* *	41	*	*	55	* *	122	80.3 (49)	288	27.4 (14)
Osceola	23	* *	26	* *	17	* *	16	*	*	19	* *	54	* *	103	30.1 (17)
Page	116	40.5 (33)	83	* *	70	* *	98	*	*	80	* *	202	79.2 (54)	430	46.7 (63)
Palo Alto	51	* *	43	* *	24	* *	23	*	*	32	* *	80	* *	175	42.9 (52)
Plymouth	97	* *	87	* *	64	* *	68	*	*	72	* *	136	80.1 (50)	356	50.6 (79)
Pocahontas	35	* *	28	* *	25	* *	14	*	*	22	* *	56	* *	131	35.1 (28)
Polk	2,811	64.8 (12)	1,918	24.0 (9)	1,550	13.7 (7)	1,589	5.0	(16)	1,830	2.2 (18)	2,752	76.5 (62)	8,567	32.8 (23)
Pottawatta	687	47.6 (29)	572	12.2 (24)	437	6.6 (22)	432	5.1	(15)	515	1.9 (20)	1,358	79.4 (53)	2,817	43.7 (54)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



* *

* *

2.9 (15)

3.1 (13)

80

211

53

710

272

25

72

21

313

160

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4.5)<2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (7) (6) (8) % % % Number % % % % County Number Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) 47 * * 50 54 Poweshiek 100 57.0 (20) 68 184 87.5 (12) 370 39.7 (38) 27 19 14 21 18 53 110 Ringgold 45.5 (61) 36 38 16 40 38 59 144 Sac 47.2 (67) Scott 1.179 50.2 (27) 1,047 14.3 (21) 747 7.6 (20) 1,055 5.2 (14)1,020 1.6 (22) 1,923 85.2 (22) 4,457 43.4 (53) 45 56 50 47 122 Shelby 40 91.8 (7) 238 51.7 (85) Sioux 208 77.4 (2) 173 32.4 (7) 162 17.9 (4) 126 10.3 (4) 152 3.3 (10) 427 86.4 (15) 902 29.9 (15) 422 212 534 Story 72.5 (4) 249 35.3 (5) 260 19.2 (3) 159 14.5 (2) 9.4 (1) 79.8 (52) 1,450 14.3 (4) * * * 59 60 Tama 102 60.8 (16) 62 57 207 72.9 (65) 411 30.2 (18)

34

112

30

449

194

55.4 (21)

54.8 (23)

64.4 (13)

Taylor

Union

Van Buren

Wapello

Warren

* *

11.0 (11)

10.1 (12)

21

70

17

252

125

*

6.3

8.0

(12)

(6)

* *

17.2 (15)

18.4 (11)

26

73

15

318

129

25

83

25

360

163



35.4 (29)

48.1 (71)

47.4 (69)

32.7 (22)

44.9 (57)

Page:

Run Date:

161

451

114

1.712

768

81.5 (42)

89.3 (9)

83.8 (28)

(2)

⁽¹⁾ Reporting period is January 1 through December 31.

TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 9 / 14 / 10 Run Date:

(2)

			Breastfe (6	•				Exclus	sive B	reastfeedin	<u> </u>	≤2 Hou Viewin		Smokii House	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breas At Lea 3 Mon (Ra	stfed t ast s onths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Washington	67	* *	58	* *	63	* *	33	*	*	53	* *	129	82.2 (39)	312	37.8 (35)
Wayne	44	* *	42	* *	18	* *	36	*	*	42	* *	80	* *	162	41.4 (45)
Webster	335	50.4 (26)	293	17.1 (16)	221	9.0 (18)	210	4.8	(17)	239	3.3 (10)	543	83.2 (33)	1,273	45.4 (60)
Winnebago	46	* *	43	* *	30	* *	28	*	*	32	* *	90	* *	197	46.7 (63)
Winneshiek	74	* *	68	* *	50	* *	57	*	*	64	* *	125	84.8 (23)	279	34.4 (26)
Woodbury	1,019	49.3 (28)	764	13.1 (23)	620	7.3 (21)	724	3.3	(21)	686	1.5 (23)	1,601	82.6 (38)	3,821	33.4 (25)
Worth	8	* *	11	* *	6	* *	6	*	*	7	* *	31	* *	49	* *
Wright	121	67.8 (10)	95	* *	75	* *	70	*	*	85	* *	196	83.2 (33)	446	37.7 (34)
Unknown Counties	0	* *	2	* *	1	* *	1	*	*	2	* *	0	* *	1	* *
owa	18,609	59.1	14,444	20.1	11,541	11.0	11,901	7.	1	13,102	3.1	27,717	83.1	68,340	36.5
Nation (Prior Year)	1,577,8	32 60.1	790,341	25.2	875,205	18.1	104,492	10.	3	143,261	5.6	584,732	73.3	2,855,916	10.6

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 31 Run Date: 9 / 14 / 10

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Adair	153	8.5 (49)	5.2 (10)	660	5.6 (46)	3.2 (65)	17.0 (86)	291	19.2 (72)	17.9 (85)	456	11.8 (89)
Adams	73	* *	* *	308	4.9 (33)	3.6 (74)	16.2 (83)	134	20.1 (82)	14.9 (53)	211	9.0 (65)
Allamakee	340	7.1 (29)	12.9 (85)	1,571	7.3 (85)	2.3 (28)	15.9 (79)	710	17.6 (54)	16.9 (75)	1,051	9.0 (65)
Appanoose	266	11.3 (79)	6.0 (16)	1,059	7.0 (78)	4.5 (93)	12.9 (32)	454	13.7 (2)	14.5 (46)	589	6.8 (41)
Audubon	72	* *	* *	311	7.1 (83)	0.3 (1)	10.0 (4)	139	18.7 (69)	13.7 (39)	206	1.9 (6)
Benton	198	5.6 (10)	7.6 (35)	930	4.0 (11)	3.8 (79)	13.3 (35)	436	15.8 (27)	15.6 (61)	438	3.7 (13)
Blackhawk	3,057	10.0 (69)	7.0 (25)	11,879	5.8 (53)	4.4 (90)	12.1 (23)	5,024	16.7 (34)	14.1 (42)	5,784	7.1 (48)
Boone	298	6.7 (22)	9.7 (72)	1,265	6.6 (72)	3.8 (79)	13.9 (42)	552	17.4 (50)	15.2 (57)	660	5.9 (36)
Bremer	178	7.9 (39)	3.9 (4)	770	4.0 (11)	2.9 (54)	11.9 (19)	328	15.5 (23)	13.1 (27)	458	4.1 (18)
Buchanan	214	3.3 (1)	10.3 (75)	904	3.9 (9)	4.0 (85)	14.0 (45)	411	19.7 (77)	14.6 (50)	466	3.9 (15)
Buena Vist	560	7.1 (29)	6.8 (21)	2,405	4.7 (27)	3.0 (55)	15.0 (61)	1,084	18.1 (62)	18.1 (86)	1,591	9.1 (68)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 32 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight			A	emia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Butler	106	15.1 (87)	3.8 (3)	406	5.4 (40)	4.4 (90)	18.0 (94)	165	18.2 (63)	17.6 (81)	242	7.9 (56)
Calhoun	82	* *	* *	406	3.7 (6)	0.7 (2)	9.9 (3)	192	20.3 (85)	11.5 (12)	278	1.4 (4)
Carroll	275	6.9 (26)	8.0 (41)	1,116	4.3 (17)	2.5 (33)	12.4 (27)	468	19.4 (74)	14.1 (42)	712	1.1 (2)
Cass	252	6.0 (16)	5.2 (10)	1,074	5.8 (53)	1.2 (4)	18.4 (97)	466	20.8 (90)	18.7 (90)	733	7.4 (53)
Cedar	124	8.9 (58)	4.8 (8)	539	4.6 (25)	1.5 (8)	10.0 (4)	228	17.1 (42)	8.3 (1)	363	4.1 (18)
Cerro Gord	958	7.2 (31)	9.4 (67)	3,562	5.9 (57)	4.8 (95)	12.5 (29)	1,492	18.5 (66)	15.3 (59)	2,074	6.6 (40)
Cherokee	206	6.3 (18)	8.3 (49)	902	5.4 (40)	2.8 (46)	12.6 (30)	405	19.8 (79)	12.3 (19)	613	3.8 (14)
Chickasaw	135	14.1 (86)	9.6 (70)	604	5.5 (43)	4.1 (86)	11.3 (11)	282	16.7 (34)	14.5 (46)	372	4.0 (16)
Clarke	239	10.0 (69)	9.2 (63)	923	6.4 (68)	3.4 (71)	15.1 (64)	391	15.1 (15)	14.1 (42)	597	8.9 (64)
Clay	352	8.5 (49)	8.8 (55)	1,481	6.0 (61)	3.0 (55)	14.6 (53)	629	17.0 (40)	15.6 (61)	978	7.3 (51)
Clayton	200	11.0 (76)	7.0 (25)	907	7.4 (88)	2.1 (18)	14.7 (57)	384	17.4 (50)	13.3 (34)	581	6.9 (43)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 33 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Clinton	940	8.7 (55)	6.4 (18)	3,495	7.0 (78)	1.3 (5)	15.7 (76)	1,419	17.5 (53)	13.2 (30)	2,051	4.5 (24)
Crawford	493	5.9 (12)	7.5 (33)	2,224	3.1 (3)	2.5 (33)	17.0 (86)	970	18.7 (69)	20.8 (96)	1,579	9.9 (75)
Dallas	605	6.6 (21)	8.9 (58)	2,572	4.4 (20)	2.4 (29)	14.6 (53)	1,144	21.4 (94)	17.5 (80)	1,713	2.0 (7)
Davis	78	* *	* *	324	4.3 (17)	2.2 (24)	13.9 (42)	131	15.3 (19)	16.0 (67)	161	4.3 (22)
Decatur	189	11.1 (77)	8.5 (51)	878	7.6 (92)	3.3 (69)	14.6 (53)	402	17.2 (45)	11.9 (16)	632	10.9 (85)
Delaware	160	5.6 (10)	11.9 (82)	664	4.7 (27)	5.0 (96)	10.8 (7)	299	16.1 (29)	10.7 (5)	430	9.8 (74)
Des Moines	913	8.1 (42)	9.7 (72)	3,472	6.0 (61)	2.8 (46)	11.6 (15)	1,413	17.2 (45)	11.5 (12)	2,059	14.7 (97)
Dickinson	138	6.5 (20)	6.5 (19)	636	4.2 (15)	3.1 (59)	14.8 (58)	266	15.0 (12)	17.7 (83)	396	7.3 (51)
Dubuque	1,480	7.6 (35)	9.0 (60)	5,962	4.9 (33)	3.2 (65)	12.2 (25)	2,631	17.4 (50)	12.1 (18)	3,951	12.2 (90)
Emmet	208	13.9 (85)	7.7 (36)	834	5.6 (46)	2.8 (46)	14.3 (50)	336	17.3 (47)	14.0 (41)	540	10.4 (80)
Fayette	279	6.8 (24)	5.4 (12)	1,183	5.7 (49)	3.1 (59)	13.5 (37)	505	20.8 (90)	14.5 (46)	776	5.9 (36)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 34 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A	nemia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Floyd	245	9.0 (61)	9.4 (67)	993	5.3 (39)	3.7 (76)	13.6 (40)	440	18.0 (58)	14.5 (46)	640	7.5 (54)
Franklin	211	3.8 (2)	11.8 (81)	919	4.4 (20)	3.0 (55)	17.6 (92)	429	22.8 (95)	17.7 (83)	599	5.3 (30)
Fremont	92	* *	* *	437	6.4 (68)	4.3 (88)	15.1 (64)	188	14.4 (7)	17.6 (81)	298	10.1 (76)
Greene	144	9.0 (61)	5.6 (13)	661	4.1 (14)	1.8 (13)	15.0 (61)	317	16.7 (34)	19.2 (94)	451	1.6 (5)
Grundy	66	* *	* *	303	9.6 (99)	5.9 (98)	11.9 (19)	130	16.9 (37)	13.8 (40)	134	10.4 (80)
Guthrie	92	* *	* *	405	2.5 (2)	4.4 (90)	8.6 (1)	190	19.5 (75)	10.5 (3)	280	1.1 (2)
Hamilton	259	12.7 (82)	5.0 (9)	1,025	8.9 (98)	3.0 (55)	14.0 (45)	442	18.6 (67)	13.6 (37)	637	6.9 (43)
Hancock	120	4.2 (3)	5.8 (15)	487	3.7 (6)	3.1 (59)	17.0 (86)	209	18.7 (69)	17.2 (78)	308	4.2 (21)
Hardin	258	9.7 (68)	8.1 (43)	1,161	6.5 (70)	2.5 (33)	15.8 (78)	537	14.9 (9)	18.1 (86)	861	5.8 (35)
Harrison	191	8.4 (46)	6.8 (21)	731	6.6 (72)	2.5 (33)	15.3 (69)	323	19.8 (79)	17.3 (79)	488	9.4 (73)
Henry	311	6.8 (24)	10.6 (76)	1,195	5.9 (57)	2.1 (18)	12.2 (25)	488	20.1 (82)	12.3 (19)	685	10.9 (85)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 35 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			Δ	emia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Howard	146	8.9 (58)	7.5 (33)	595	5.5 (43)	3.2 (65)	15.5 (72)	238	15.1 (15)	14.7 (51)	357	9.0 (65)
Humboldt	167	8.4 (46)	9.6 (70)	791	4.4 (20)	1.8 (13)	14.3 (50)	355	15.5 (23)	13.2 (30)	552	2.9 (10)
lda	120	10.0 (69)	1.7 (1)	592	7.3 (85)	1.9 (15)	11.1 (9)	280	16.4 (32)	11.4 (11)	411	3.2 (11)
lowa	138	8.7 (55)	12.3 (83)	659	7.7 (93)	5.0 (96)	14.9 (60)	316	13.3 (1)	13.6 (37)	415	7.2 (50)
Jackson	235	6.0 (16)	8.1 (43)	1,056	6.3 (66)	2.1 (18)	15.0 (61)	463	13.8 (3)	14.9 (53)	699	5.3 (30)
Jasper	509	11.4 (80)	8.1 (43)	2,116	7.9 (95)	3.5 (72)	13.4 (36)	953	14.9 (9)	13.5 (36)	1,539	4.0 (16)
Jefferson	253	5.1 (7)	12.6 (84)	1,030	5.8 (53)	3.1 (59)	11.3 (11)	445	15.5 (23)	10.8 (8)	530	4.9 (28)
Johnson	1,450	9.4 (66)	6.9 (23)	6,037	5.5 (43)	4.5 (93)	11.3 (11)	2,725	17.1 (42)	10.8 (8)	4,000	12.6 (91)
Jones	217	10.1 (72)	6.9 (23)	877	7.4 (88)	3.8 (79)	12.4 (27)	367	14.2 (5)	12.8 (23)	546	10.6 (82)
Keokuk	102	5.9 (12)	3.9 (4)	436	5.7 (49)	3.2 (65)	11.9 (19)	198	25.3 (98)	12.6 (22)	246	5.3 (30)
Kossuth	190	7.4 (32)	7.9 (38)	786	6.5 (70)	3.7 (76)	14.6 (53)	374	15.0 (12)	15.8 (66)	498	4.4 (23)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 36 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				nemia
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Lee	676	9.0 (61)	6.2 (17)	2,528	6.6 (72)	2.5 (33)	12.9 (32)	1,050	17.0 (40)	12.3 (19)	1,511	14.6 (96)
Linn	3,132	8.6 (51)	8.6 (53)	12,919	4.8 (31)	2.8 (46)	11.7 (17)	5,811	18.4 (64)	12.9 (25)	8,515	12.8 (92)
Louisa	235	10.2 (73)	8.1 (43)	983	5.0 (36)	2.4 (29)	15.9 (79)	448	20.5 (86)	17.0 (76)	676	13.3 (94)
Lucas	211	9.5 (67)	9.5 (69)	898	4.5 (23)	2.1 (18)	13.5 (37)	416	15.1 (15)	16.1 (69)	596	8.1 (58)
Lyon	119	4.2 (3)	9.2 (63)	576	5.0 (36)	2.8 (46)	14.2 (49)	280	16.1 (29)	11.8 (15)	395	7.6 (55)
Madison	210	8.6 (51)	11.0 (77)	832	7.7 (93)	2.8 (46)	15.4 (71)	359	21.2 (93)	13.1 (27)	557	8.8 (63)
Mahaska	418	8.4 (46)	9.1 (62)	1,710	7.1 (83)	2.1 (18)	15.3 (69)	732	19.7 (77)	15.6 (61)	1,165	6.0 (38)
Marion	444	10.4 (75)	9.0 (60)	2,066	7.4 (88)	2.2 (24)	12.1 (23)	982	18.0 (58)	10.7 (5)	1,343	9.3 (72)
Marshall	1,219	8.6 (51)	9.2 (63)	5,392	5.4 (40)	2.6 (40)	20.2 (99)	2,479	18.6 (67)	20.8 (96)	3,944	4.8 (27)
Mills	163	12.3 (81)	4.3 (6)	702	7.0 (78)	2.4 (29)	15.1 (64)	310	23.2 (97)	15.2 (57)	462	11.5 (88)
Mitchell	86	* *	* *	388	3.4 (4)	3.6 (74)	12.9 (32)	175	14.9 (9)	12.0 (17)	241	4.1 (18)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 37 Run Date: 9 / 14 / 10

Comparison of Growth and Anemia Indicators by County Children Aged < 5 Years (2)

		ı	Comparis	on of G	rowth ar	nd Aneı	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				•
		Low	High		Short Stature (6)	Under- weight			> 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Monona	157	5.1 (7)	7.0 (25)	779	4.5 (23)	1.3 (5)	16.6 (85)	361	20.2 (84)	16.3 (70)	548	10.2 (78)
Monroe	120	6.7 (22)	11.7 (79)	565	3.9 (9)	2.1 (18)	18.9 (98)	263	20.9 (92)	19.0 (91)	397	9.1 (68)
Montgomery	253	6.3 (18)	7.9 (38)	1,063	4.7 (27)	1.5 (8)	15.5 (72)	467	20.6 (89)	18.2 (88)	739	9.2 (71)
Muscatine	1,077	7.5 (34)	7.3 (29)	4,317	6.0 (61)	2.2 (24)	16.0 (82)	1,948	19.2 (72)	19.0 (91)	2,893	11.0 (87)
O Brien	205	5.9 (12)	11.7 (79)	843	3.8 (8)	2.5 (33)	14.0 (45)	345	16.5 (33)	16.5 (72)	531	6.8 (41)
Osceola	80	* *	* *	341	3.5 (5)	0.9 (3)	15.2 (67)	151	20.5 (86)	16.6 (74)	221	8.6 (62)
Page	315	8.3 (44)	5.7 (14)	1,344	6.8 (77)	3.3 (69)	13.6 (40)	615	15.9 (28)	13.0 (26)	918	8.1 (58)
Palo Alto	152	13.2 (84)	4.6 (7)	580	6.6 (72)	3.8 (79)	11.6 (15)	234	18.4 (64)	11.5 (12)	350	7.1 (48)
Plymouth	260	6.9 (26)	8.5 (51)	1,076	4.2 (15)	1.5 (8)	15.9 (79)	448	15.4 (21)	16.3 (70)	676	2.8 (9)
Pocahontas	102	4.9 (6)	13.7 (87)	400	4.0 (11)	3.5 (72)	18.3 (96)	156	15.4 (21)	22.4 (98)	258	8.5 (61)
Polk	7,428	8.0 (41)	8.1 (43)	26,645	5.9 (57)	2.6 (40)	14.5 (52)	10,702	15.3 (19)	13.2 (30)	16,887	13.4 (95)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 38 Run Date: 9 / 14 / 10

Comparison of Growth and Anemia Indicators by County Children Aged < 5 Years (2)

			Comparis	on of G	rowth ar	nd Anen	nia Indi	cators		(3,4)		
		Birthweight	(5)			He	eight and V	Veight				•
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	eemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pottawatta	2,000	8.6 (51)	6.6 (20)	8,726	6.0 (61)	2.4 (29)	15.2 (67)	3,928	19.8 (79)	17.1 (77)	6,077	8.1 (58)
Poweshiek	249	4.4 (5)	9.2 (63)	1,067	4.8 (31)	2.8 (46)	18.0 (94)	488	17.6 (54)	19.1 (93)	793	4.5 (24)
Ringgold	92	* *	* *	351	8.3 (97)	2.6 (40)	14.8 (58)	156	17.3 (47)	12.8 (23)	237	8.0 (57)
Sac	108	10.2 (73)	7.4 (30)	443	5.6 (46)	4.1 (86)	10.6 (6)	178	16.3 (31)	15.7 (64)	284	0.7 (1)
Scott	3,369	8.8 (57)	8.2 (48)	13,164	6.2 (65)	2.7 (45)	11.7 (17)	5,453	17.8 (57)	13.2 (30)	8,919	14.8 (98)
Shelby	152	5.9 (12)	7.9 (38)	731	6.7 (76)	2.6 (40)	12.6 (30)	379	17.7 (56)	14.2 (45)	505	5.3 (30)
Sioux	564	7.8 (37)	8.0 (41)	2,686	4.6 (25)	1.6 (12)	15.7 (76)	1,301	17.3 (47)	14.8 (52)	1,916	4.9 (28)
Story	1,034	8.2 (43)	8.9 (58)	4,038	5.8 (53)	4.3 (88)	12.0 (22)	1,678	14.7 (8)	10.5 (3)	2,251	6.9 (43)
Tama	298	13.1 (83)	11.4 (78)	1,350	4.3 (17)	2.8 (46)	17.0 (86)	622	18.0 (58)	15.3 (59)	909	6.9 (43)
Taylor	114	7.0 (28)	2.6 (2)	529	5.9 (57)	1.5 (8)	14.0 (45)	238	15.5 (23)	13.4 (35)	378	6.9 (43)
Union	314	8.9 (58)	8.6 (53)	1,327	7.0 (78)	3.8 (79)	15.6 (75)	611	18.0 (58)	15.1 (56)	893	9.1 (68)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Page: 39 Run Date: 9 / 14 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight ₍₇₎		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Van Buren	80	* *	* *	345	4.9 (33)	6.7 (99)	11.0 (8)	154	14.3 (6)	10.4 (2)	200	3.5 (12)
Wapello	1,223	8.3 (44)	8.3 (49)	5,082	5.7 (49)	3.1 (59)	16.4 (84)	2,237	19.5 (75)	19.4 (95)	2,456	6.3 (39)
Warren	495	9.1 (64)	9.9 (74)	2,187	7.9 (95)	1.4 (7)	15.5 (72)	973	20.5 (86)	13.1 (27)	1,469	10.7 (83)
Washington	205	9.3 (65)	8.8 (55)	1,004	5.1 (38)	3.1 (59)	11.3 (11)	494	15.2 (18)	11.3 (10)	719	12.8 (92)
Wayne	108	11.1 (77)	13.0 (86)	475	6.3 (66)	2.5 (33)	17.5 (91)	206	15.0 (12)	18.4 (89)	318	10.1 (76)
Webster	933	7.6 (35)	7.4 (30)	3,684	7.3 (85)	1.9 (15)	17.6 (92)	1,541	16.9 (37)	15.0 (55)	2,406	2.3 (8)
Winnebago	153	7.8 (37)	7.8 (37)	705	7.5 (91)	3.7 (76)	13.9 (42)	333	17.1 (42)	16.5 (72)	431	5.6 (34)
Winneshiek	231	7.4 (32)	7.4 (30)	900	5.7 (49)	3.8 (79)	11.1 (9)	382	13.9 (4)	10.7 (5)	549	10.7 (83)
Woodbury	2,959	7.9 (39)	7.0 (25)	11,866	4.7 (27)	2.6 (40)	13.5 (37)	5,008	16.9 (37)	15.7 (64)	7,605	10.3 (79)
Worth	29	* *	* *	137	1.5 (1)	2.2 (24)	9.5 (2)	61	* *	* *	81	* *
Wright	307	5.2 (9)	8.8 (55)	1,310	7.0 (78)	1.9 (15)	17.3 (90)	570	22.8 (95)	16.0 (67)	904	4.5 (24)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 40 Run Date: 9 / 14 / 10

Comparison of Growth and Anemia Indicators by County Children Aged < 5 Years (2)

			Comparis	on of G	rowth ar	nd Aneı	mia Indi	cators		(3,4)	_	
		Birthweight	(5)			Н	eight and V	Veight			And	emia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low I	Hb/Hct 8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Unknown Counties	10	* *	* *	79	* *	* *	* *	35	* *	* *	62	* *
Iowa	51,426	8.3	8.0	208,651	5.7	2.9	14.0	90,346	17.5	14.6	133,100	9.3



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

9 / 14 / 10

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	g, an	d Sm	oking i	n Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclu	usive B	reastfeedi (7)	ng	≤2 Hou Viewin (Smok Hous	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbe	Brea A Le Mo	% astfed At east 3 onths ank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adair	179	50.8 (78)	122	21.3 (36)	73	* *	101	4.0	(53)	81	* *	109	85.3 (21)	221	38.5 (38)
Adams	77	* *	64	* *	46	* *	43	*	*	40	* *	43	* *	96	* *
Allamakee	394	76.4 (1)	301	49.5 (1)	221	31.7 (1)	217	11.5	(7)	196	5.1 (12)	252	92.1 (6)	524	26.5 (14)
Appanoose	298	42.6 (90)	203	11.8 (75)	129	8.5 (45)	128	3.9	(54)	118	2.5 (35)	141	92.2 (5)	352	48.9 (76)
Audubon	81	* *	56	* *	31	* *	44	*	*	36	* *	37	* *	88	* *
Benton	228	60.5 (38)	179	17.3 (50)	119	7.6 (49)	125	6.4	(31)	121	2.5 (35)	106	92.5 (4)	282	57.8 (93)
Blackhawk	3,440	56.4 (55)	2,394	19.9 (39)	1,584	12.5 (28)	1,842	9.4	(10)	1,682	4.2 (16)	1,454	84.3 (27)	3,853	41.7 (45)
Boone	342	64.3 (23)	228	29.4 (13)	168	18.5 (10)	119	6.7	(30)	117	3.4 (23)	154	83.8 (28)	381	14.4 (3)
Bremer	205	64.9 (22)	151	26.5 (20)	99	* *	106	13.2	(6)	101	8.9 (1)	65	* *	235	41.7 (45)
Buchanan	250	58.0 (44)	187	21.9 (33)	110	11.8 (30)	155	15.5	(1)	150	8.0 (2)	133	85.7 (18)	329	44.1 (57)
Buena Vist	639	72.9 (4)	475	32.6 (9)	350	24.6 (3)	258	5.0	(44)	251	2.0 (41)	402	75.4 (64)	791	17.2 (6)
Butler	115	57.4 (51)	79	* *	54	* *	47	*	*	45	* *	58	* *	116	62.9 (95)
Calhoun	101	61.4 (35)	71	* *	56	* *	64	*	*	54	* *	67	* *	127	46.5 (65)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

9 / 14 / 10

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and	d Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe	eeding 6)				Exclu	ısive B	reastfeedii (7)	ng	≤2 Hou Viewing (8)		Smok Hous	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea Le Mo	% ustfed ut ast ast nths ank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Carroll	328	61.0 (37)	211	17.1 (51)	128	3.9 (58)	174	3.4	(55)	150	2.0 (41)	151	86.1 (17)	351	49.9 (79)
Cass	291	50.9 (77)	174	12.6 (72)	139	7.2 (50)	164	5.5	(40)	127	1.6 (46)	152	86.2 (16)	357	53.8 (89)
Cedar	139	63.3 (29)	101	19.8 (41)	65	* *	83	*	*	73	* *	38	* *	175	30.9 (20)
Cerro Gord	1,006	53.7 (68)	663	14.5 (66)	471	8.7 (42)	414	6.8	(28)	392	3.3 (24)	551	85.7 (18)	1,247	43.5 (54)
Cherokee	233	61.8 (33)	171	19.9 (39)	113	9.7 (37)	111	13.5	(3)	108	6.5 (7)	144	81.3 (46)	308	52.3 (85)
Chickasaw	158	70.9 (7)	107	22.4 (32)	75	* *	74	*	*	70	* *	76	* *	178	43.8 (56)
Clarke	264	58.0 (44)	178	28.7 (16)	105	11.4 (32)	127	7.9	(21)	103	3.9 (18)	148	80.4 (48)	314	40.8 (44)
Clay	404	63.6 (27)	306	28.1 (18)	200	16.0 (16)	194	4.1	(51)	190	2.1 (38)	226	81.4 (43)	499	37.1 (32)
Clayton	230	58.7 (41)	187	20.9 (37)	112	16.1 (15)	135	8.9	(13)	117	4.3 (15)	129	88.4 (11)	286	44.4 (59)
Clinton	1,013	53.6 (69)	731	16.3 (58)	461	13.9 (23)	554	7.6	(25)	467	2.8 (29)	169	83.4 (31)	1,087	38.7 (39)
Crawford	564	65.6 (18)	401	22.7 (31)	262	14.9 (20)	344	2.9	(59)	275	1.5 (47)	371	77.9 (58)	768	24.5 (11)
Dallas	682	71.8 (6)	494	32.0 (10)	308	14.9 (20)	388	8.2	(17)	330	5.5 (10)	389	83.5 (30)	843	29.1 (16)
Davis	93	* *	64	* *	42	* *	44	*	*	38	* *	37	* *	103	41.7 (45)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



ion Surveillance (1) Run Date:

Page:

(2)

9 / 14 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

		Comp	arison	of Breas	stfeedi	ng, TV \	/iewing	ı, an	d Sm	oking i	in Housel	nold (4,5	5)		
			Breastfe	eeding 6)				Excl	usive B	reastfeed	ing	≤2 Hou Viewin		Smok Hous	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea Le Mo	% astfed At east 3 onths ank)	Number	Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Decatur	215	51.2 (76)	157	31.2 (11)	95	* *	105	5.7	(36)	87	* *	148	83.1 (35)	289	49.5 (78)
Delaware	181	46.4 (87)	136	14.0 (68)	73	* *	84	*	*	79	* *	89	* *	192	19.8 (7)
Des Moines	1,026	56.2 (57)	637	13.8 (69)	443	5.0 (57)	513	5.7	(36)	423	2.8 (29)	499	84.8 (23)	1,163	43.3 (53)
Dickinson	154	63.6 (27)	124	18.5 (46)	70	* *	65	*	*	63	* *	83	* *	195	34.9 (28)
Dubuque	1,616	47.5 (85)	1,224	19.4 (42)	729	12.8 (26)	821	10.6	(9)	744	5.2 (11)	968	94.9 (2)	1,941	13.7 (2)
Emmet	230	58.7 (41)	173	23.1 (30)	112	22.3 (4)	102	4.9	(45)	97	* *	132	78.8 (56)	291	22.3 (10)
Fayette	317	61.8 (33)	249	16.1 (59)	158	10.8 (34)	165	7.9	(21)	153	3.3 (24)	175	83.4 (31)	357	51.5 (82)
Floyd	279	57.7 (48)	204	12.3 (73)	164	9.1 (40)	117	3.4	(55)	112	2.7 (31)	147	84.4 (26)	338	47.3 (68)
Franklin	228	63.2 (30)	147	23.8 (28)	99	* *	91	*	*	82	* *	168	81.0 (47)	317	33.1 (23)
Fremont	122	42.6 (90)	79	* *	58	* *	77	*	*	63	* *	62	* *	145	53.1 (87)
Greene	174	54.6 (64)	120	16.7 (53)	81	* *	97	*	*	87	* *	110	84.5 (25)	215	40.5 (42)
Grundy	70	* *	60	* *	36	* *	31	*	*	31	* *	30	* *	77	* *
Guthrie	104	57.7 (48)	66	* *	51	* *	51	*	*	45	* *	63	* *	125	48.0 (72)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



on Surveillance (1) Run Date:

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

(2)

9 / 14 / 10

Page:

		Comp	arison	of Breas	stfeedi	ng, TV V	ewing	, and	d Sm	oking i	n Housel	hold (4,	5)		
			Breastfe ((eeding 6)				Exclu	ısive B	reastfeedii	ng	≤2 Hou Viewin			king in sehold
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le	% stfed at ast ast anths	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Hamilton	291	59.8 (39)	204	16.7 (53)	139	6.5 (53)	114	4.4	(48)	105	1.9 (43)	157	77.1 (61)	343	33.8 (26)
Hancock	147	55.1 (61)	103	16.5 (55)	72	* *	60	*	*	57	* *	74	* *	175	42.9 (51)
Hardin	308	53.9 (66)	231	26.4 (21)	169	16.6 (14)	131	6.1	(34)	131	4.6 (13)	159	81.8 (40)	358	20.7 (8)
Harrison	213	57.3 (52)	135	14.8 (65)	92	* *	120	9.2	(11)	93	* *	96	* *	235	53.6 (88)
Henry	339	64.3 (23)	234	15.4 (62)	172	7.0 (51)	167	7.8	(23)	146	2.1 (38)	197	86.8 (13)	389	42.2 (49)
Howard	177	72.3 (5)	137	34.3 (4)	81	* *	87	*	*	77	* *	83	* *	177	46.3 (64)
Humboldt	194	69.1 (14)	149	24.8 (24)	86	* *	90	*	*	84	* *	132	89.4 (8)	257	29.6 (18)
lda	147	57.8 (47)	102	10.8 (78)	75	* *	71	*	*	69	* *	75	* *	188	60.1 (94)
lowa	157	63.1 (31)	100	33.0 (7)	76	* *	75	*	*	63	* *	78	* *	194	25.8 (12)
Jackson	274	49.6 (80)	205	12.2 (74)	116	5.2 (55)	163	4.9	(45)	137	2.9 (28)	60	* *	328	38.1 (36)
Jasper	568	52.1 (75)	355	19.2 (43)	259	9.3 (38)	235	5.5	(40)	195	4.1 (17)	325	83.1 (35)	693	40.5 (42)
Jefferson	270	55.6 (59)	173	20.2 (38)	138	13.0 (24)	96	*	*	93	* *	143	96.5 (1)	312	37.5 (34)
Johnson	1,559	70.9 (7)	1,006	35.2 (2)	795	21.5 (5)	740	13.4	(5)	655	6.7 (4)	691	79.2 (54)	1,973	15.6 (5)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁸⁾ Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

9 / 14 / 10

		Comp	arıson	of Breas	stfeedii	ng, TV Vi	iewing	, and	d Sm	oking ir	1 Housel	noid _{(4,5}	5)		
			Breastfe	•				Exclu	ısive B	reastfeedir (7)	ng	<2 Hou Viewing (8)	g/Day	Smok Hous	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le	% astfed At ast ast anths ank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jones	247	53.4 (71)	175	16.0 (60)	102	10.8 (34)	108	8.3	(16)	97	* *	130	94.6 (3)	268	21.3 (9)
Keokuk	112	48.2 (81)	81	* *	60	* *	44	*	*	43	* *	58	* *	130	50.8 (81)
Kossuth	206	65.5 (19)	150	23.3 (29)	90	* *	71	*	*	65	* *	120	77.5 (59)	250	40.0 (40)
Lee	729	59.1 (40)	460	11.5 (76)	345	6.7 (52)	344	5.5	(40)	278	1.8 (44)	370	88.9 (10)	836	48.7 (74)
Linn	3,577	58.0 (44)	2,286	17.8 (48)	1,660	9.1 (40)	1,603	7.2	(27)	1,463	3.8 (20)	897	86.7 (14)	4,138	41.8 (48)
Louisa	264	70.5 (9)	169	29.0 (14)	137	17.5 (12)	129	1.6	(63)	110	0.9 (53)	140	78.6 (57)	326	31.0 (21)
Lucas	250	56.4 (55)	176	14.2 (67)	116	7.8 (46)	121	7.4	(26)	117	1.7 (45)	139	79.9 (51)	326	48.8 (75)
Lyon	135	69.6 (12)	107	32.7 (8)	75	* *	73	*	*	67	* *	79	* *	172	44.8 (60)
Madison	229	57.6 (50)	160	26.3 (22)	108	12.0 (29)	102	7.8	(23)	94	* *	114	81.6 (41)	259	51.7 (84)
Mahaska	476	52.7 (74)	317	21.5 (35)	226	15.0 (19)	207	6.8	(28)	189	3.7 (21)	279	81.4 (43)	594	50.7 (80)
Marion	535	56.6 (53)	412	15.0 (64)	256	7.8 (46)	288	5.2	(43)	274	2.6 (33)	339	81.4 (43)	701	47.2 (67)
Marshall	1,399	66.8 (16)	873	24.7 (25)	670	17.8 (11)	608	3.1	(58)	523	1.5 (47)	912	76.4 (63)	1,885	13.2 (1)
Mills	191	56.5 (54)	158	11.4 (77)	102	3.9 (58)	110	8.2	(17)	93	* *	96	* *	209	48.3 (73)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



ion Surveillance (1) Run Date:

Page:

(2)

9 / 14 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $\ ^{(3)}$

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	ı, and	d Sm	oking i	n Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewin (i)		Smok Hous	
County	Number	% Ever Breastfed	Number	Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le Mo	% astfed at ast ast anths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Mitchell	106	65.1 (20)	64	* *	50	* *	40	*	*	37	* *	53	* *	114	52.6 (86)
Monona	186	47.3 (86)	119	9.2 (79)	73	* *	111	4.5	(47)	84	* *	132	85.6 (20)	262	53.8 (89)
Monroe	141	53.9 (66)	112	18.8 (44)	78	* *	83	*	*	79	* *	97	* *	203	54.7 (91)
Montgomery	272	48.2 (81)	167	8.4 (80)	109	6.4 (54)	146	3.4	(55)	116	0.9 (53)	158	77.2 (60)	324	55.6 (92)
Muscatine	1,158	70.2 (11)	730	34.1 (5)	576	24.7 (2)	563	4.4	(48)	478	2.5 (35)	668	82.8 (37)	1,453	36.3 (31)
O Brien	225	65.8 (17)	170	28.8 (15)	115	11.3 (33)	105	8.6	(15)	103	5.8 (9)	122	80.3 (49)	287	26.1 (13)
Osceola	86	* *	62	* *	31	* *	35	*	*	33	* *	54	* *	107	28.0 (15)
Page	332	44.3 (89)	232	8.2 (81)	156	5.1 (56)	197	2.5	(62)	157	1.3 (50)	202	79.2 (54)	425	46.6 (66)
Palo Alto	172	70.3 (10)	123	25.2 (23)	73	* *	70	*	*	67	* *	80	* *	180	42.2 (49)
Plymouth	300	64.3 (23)	232	16.4 (56)	139	8.6 (44)	148	13.5	(3)	136	6.6 (6)	136	80.1 (50)	352	48.9 (76)
Pocahontas	113	47.8 (83)	75	* *	57	* *	49	*	*	48	* *	56	* *	133	34.6 (27)
Polk	7,959	65.0 (21)	4,986	24.1 (27)	3,510	14.5 (22)	3,848	5.6	(38)	3,483	3.0 (27)	2,752	76.5 (62)	8,552	33.2 (24)
Pottawatta	2,211	46.3 (88)	1,568	17.1 (51)	1,119	12.6 (27)	1,111	4.2	(50)	1,005	2.1 (38)	1,358	79.4 (53)	2,835	43.7 (55)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



on Surveillance (1) Run Date:

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

(2)

9 / 14 / 10

Page:

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	, and	d Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe (6	eeding 6)				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewin		Smok Hous	ing in ehold
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Brea A Le Mo	% istfed at ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Poweshiek	275	58.2 (43)	170	17.6 (49)	141	15.6 (17)	113	6.2	(33)	101	5.9 (8)	184	87.5 (12)	365	40.0 (40)
Ringgold	104	37.5 (92)	67	* *	38	* *	45	*	*	38	* *	53	* *	112	47.3 (68)
Sac	134	53.0 (72)	94	* *	45	* *	82	*	*	69	* *	59	* *	140	44.3 (58)
Scott	3,787	47.7 (84)	2,477	15.6 (61)	1,718	9.3 (38)	2,221	6.4	(31)	1,867	2.6 (33)	1,923	85.2 (22)	4,469	42.9 (51)
Shelby	161	55.9 (58)	115	18.3 (47)	91	* *	97	*	*	78	* *	122	91.8 (7)	231	51.5 (82)
Sioux	660	76.2 (2)	502	28.7 (16)	379	18.7 (9)	313	8.9	(13)	303	3.6 (22)	427	86.4 (15)	895	29.9 (19)
Story	1,157	73.7 (3)	771	34.5 (3)	548	21.5 (5)	465	11.0	(8)	453	7.5 (3)	534	79.8 (52)	1,450	14.5 (4)
Tama	356	62.4 (32)	211	27.5 (19)	162	16.7 (13)	149	8.1	(19)	129	3.9 (18)	207	72.9 (65)	418	29.2 (17)
Taylor	118	54.2 (65)	96	* *	64	* *	57	*	*	51	* *	80	* *	167	35.3 (30)
Union	351	55.0 (62)	254	24.4 (26)	170	12.9 (25)	172	8.1	(19)	148	1.4 (49)	211	81.5 (42)	451	47.7 (70)
Van Buren	87	* *	66	* *	42	* *	36	*	*	33	* *	53	* *	113	47.8 (71)
Wapello	1,374	53.5 (70)	950	18.6 (45)	678	11.5 (31)	627	5.6	(38)	595	2.7 (31)	710	89.3 (9)	1,711	32.3 (22)
Warren	604	61.3 (36)	454	15.4 (62)	298	10.1 (36)	331	9.1	(12)	311	4.5 (14)	272	83.8 (28)	761	45.3 (61)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

9 / 14 / 10

(2)

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	, and	d Sm	oking i	n Housel	hold (4,	,5)		
			Breastfe	•				Exclu	sive B	reastfeedi (7)	ng		urs TV ng/Day (8)		king in sehold
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le	ast ast nths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Washington	238	64.3 (23)	161	21.7 (34)	125	15.2 (18)	103	2.9	(59)	99	* *	129	82.2 (39)	302	38.1 (36)
Wayne	124	55.6 (59)	93	* *	48	* *	68	*	*	64	* *	80	* *	158	38.0 (35)
Webster	1,033	52.9 (73)	733	13.5 (71)	504	8.7 (42)	458	5.9	(35)	422	3.3 (24)	543	83.2 (33)	1,285	45.7 (63)
Winnebago	172	54.7 (63)	116	16.4 (56)	72	* *	67	*	*	60	* *	90	* *	198	45.5 (62)
Winneshiek	238	68.9 (15)	190	33.2 (6)	107	20.6 (8)	129	15.5	(1)	120	6.7 (4)	125	84.8 (23)	289	34.9 (28)
Woodbury	3,271	50.5 (79)	2,174	13.6 (70)	1,453	7.7 (48)	1,634	2.8	(61)	1,336	1.0 (52)	1,601	82.6 (38)	3,824	33.2 (24)
Worth	38	* *	26	* *	21	* *	14	*	*	13	* *	31	* *	47	* *
Wright	370	69.2 (13)	255	29.8 (12)	172	20.9 (7)	170	4.1	(51)	155	1.3 (50)	196	83.2 (33)	451	37.3 (33)
Unknown Counties	11	* *	14	* *	9	* *	1	*	*	1	* *	0	* *	4	* *
lowa	57,388	58.6	38,961	20.8	26,878	12.8	28,189	6.	7	25,088	3.3	27,717	83.1	68,340	36.5



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.